



**CYJV.E321413**  
**Cable Assemblies and Fittings for Industrial Control and Signal Distribution**

[Page Bottom](#)

**Cable Assemblies and Fittings for Industrial Control and Signal Distribution**

[See General Information for Cable Assemblies and Fittings for Industrial Control and Signal Distribution](#)
**DONGGUAN FINECABLES CO LTD**

E321413

B5 Blk South Industrial

Humen Town

Dongguan, Guangdong 523900 CHINA

Model/Cat. No.	No. of Poles	Conductor Size, AWG	Current, A	Voltage, V	Disconnect Use	Env Rating	IP Rating	Short-circuit-current Rating												SCCR, RMS Sym, kA	Volts Max, V
								Overcurrent Protection													
								Fuse Size — Class/Max Amp Rating						Circuit Breaker Size							
								J	T	L	RK1	RK5	G	CC	Mfr	Type	Max Amp				
Cable assemblies																					
MB12, followed by FW, followed by A, B or D, followed by F, followed by F, P or HD, followed by 03, 04, 05 or 08, followed by ST or RA, followed by -3 or -4																					
MB12, followed by FWS, followed by A, B or D, followed by F, followed by F or HD, followed by 03, 04, 05 or 08, followed by ST, followed by -A or -B																					
Male cable fittings, "M12 Series" connectors																					
MB12, followed by MW, followed by A, B or D, followed by F, followed by F, P or HD, followed by 03, 04, 05 or 08, followed by ST or RA, followed by -3 or -4																					
MB12, followed by MWS, followed by A, B or D, followed by F, followed by F or HD, followed by 03, 04, 05 or 08, followed by ST,																					

Last Updated on 2018-04-13

---

© 2018 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2018 UL LLC".