

CYJV7.E321413 - Cable Assemblies and Fittings for Industrial Control and Signal Distribution Certified for Canada

Cable Assemblies and Fittings for Industrial Control and Signal Distribution Certified for Canada

DONGGUAN FINECABLES CO LTD

E321413

B5 Blk South Industrial

Humen Town

Dongguan, Guangdong 523900 China

Model/Cat. No.	No. of Poles	Conductor Size, AWG	Current, A	Voltage, V	Disconnect Use	Env Rating	IP Rating	Fuse Si A		
								J	T	L
Female Cable assemblies										
MB12, f/b FW, f/b A, B or D, f/b F, f/b F, P or HD, f/b 03, f/b ST or RA, f/b -3 or -4	3/0	24 or 22	4	250Vac/dc	no	-	-	-	-	-
MB12, f/b FW, f/b A, B or D, f/b F, f/b F, P or HD, f/b 04, f/b ST or RA, f/b -3 or -4	4/0	24 or 22	4	250Vac/dc	no	-	-	-	-	-
MB12, f/b FW, f/b A, B or D, f/b F, f/b F, P or HD, f/b 05, f/b ST or RA, f/b -3 or -4	5/0	24 or 22	4	60Vac/dc	no	-	-	-	-	-
MB12, f/b FW, f/b A, B or D, f/b F, f/b F, P or HD, f/b 08, f/b ST or RA, f/b -3 or -4	8/0	24	2	30Vac/dc	no	-	-	-	-	-
MB12, f/b FWS, f/b A, B or D, f/b F, f/b F or HD, f/b 03, f/b ST, f/b -A or -B	3/0	24 or 22	4	250Vac/dc	no	-	-	-	-	-
MB12, f/b FWS, f/b A, B or D, f/b F, f/b F or HD, f/b 04, f/b ST, f/b -A or -B	4/0	24 or 22	4	250Vac/dc	no	-	-	-	-	-
MB12, f/b FWS, f/b A, B or D, f/b F, f/b F or HD, f/b 05, f/b ST, f/b -A or -B	5/0	24 or 22	4	60Vac/dc	no	-	-	-	-	-

MB12, f/b FWS, f/b A, B or D, f/b F, f/b F or HD, f/b 08, f/b ST, f/b -A or -B	8/0	24	2	30Vac/dc	no	-	-	-	-	-
Male Cable assemblies										
MB12, f/b MW, f/b A, B or D, f/b F, f/b F, P or HD, f/b 03, f/b ST or RA, f/b -3 or -4	3/0	24 or 22	4	250Vac/dc	no	-	-	-	-	-
MB12, f/b MW, f/b A, B or D, f/b F, f/b F, P or HD, f/b 04, f/b ST or RA, f/b -3 or -4	4/0	24 or 22	4	250Vac/dc	no	-	-	-	-	-
MB12, f/b MW, f/b A, B or D, f/b F, f/b F, P or HD, f/b 05, f/b ST or RA, f/b -3 or -4	5/0	24 or 22	4	60Vac/dc	no	-	-	-	-	-
MB12, f/b MW, f/b A, B or D, f/b F, f/b F, P or HD, f/b 08, f/b ST or RA, f/b -3 or -4	8/0	24	2	30Vac/dc	no	-	-	-	-	-
MB12, f/b MWS, f/b A, B or D, f/b F, f/b F or HD, f/b 03, f/b ST, f/b -A or -B	3/0	24 or 22	4	250Vac/dc	no	-	-	-	-	-
MB12, f/b MWS, f/b A, B or D, f/b F, f/b F or HD, f/b 04, f/b ST, f/b -A or -B	4/0	24 or 22	4	250Vac/dc	no	-	-	-	-	-
MB12, f/b MWS, f/b A, B or D, f/b F, f/b F or HD, f/b 05, f/b ST, f/b -A or -B	5/0	24 or 22	4	60Vac/dc	no	-	-	-	-	-
MB12, f/b MWS, f/b A, B or D, f/b F, f/b F or HD, f/b 08, f/b ST, f/b -A or -B	8/0	24	2	30Vac/dc	no	-	-	-	-	-
Male Molded-on Cable Fitting										
MA12 f/b M or MS, f/b A, f/b F, P or HD, f/b 12, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P or Y, f/b 14	12/0	26	1.5	30 V ac/dc	No	-	-	-	-	-
MA12 f/b M or MS, f/b A, f/b F, P or HD, f/b 17, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P or Y, f/b 14	17/0	26	1.5	30 V ac/dc	No	-	-	-	-	-
MA12 f/b M or MS, f/b A, f/b F, P or HD, f/b 12 f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P or Y, f/b 25	12/0	24	1.5	30 V ac/dc	No	-	-	-	-	-

MA12 f/b M or MS, f/b A, f/b F, P or HD, f/b 17 f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P or Y, f/b 25	17/0	24	1.5	30 V ac/dc	No	-	-	-	-	-
Female Molded-on Cable Fitting										
MA12 f/b F or FS, f/b A, f/b F, P or HD, f/b 12, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P or Y, f/b 14	12/0	26	1.5	30 V ac/dc	No	-	-	-	-	-
MA12 f/b F or FS, f/b A, f/b F, P or HD, f/b 17, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P or Y, f/b 14	17/0	26	1.5	30 V ac/dc	No	-	-	-	-	-
MA12 f/b F or FS, f/b A, f/b F, P or HD, f/b 12, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P or Y, f/b 25	12/0	24	1.5	30 V ac/dc	No	-	-	-	-	-
MA12 f/b F or FS, f/b A, f/b F, P or HD, f/b 17, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P or Y, f/b 25	17/0	24	1.5	30 V ac/dc	No	-	-	-	-	-
Male Panel-Mount Fitting										
MB12 f/b MS, f/b A, f/b F or R, f/b HD or F, f/b 12, f/b ST, f/b -2 or -3	12/0	26	1.5	30 V ac/dc	No	-	-	-	-	-
MB12 f/b MS, f/b A, f/b F or R, f/b HD or F, f/b 17, f/b ST, f/b -2 or -3	17/0	26	1.5	30 V ac/dc	No	-	-	-	-	-
MB12 f/b MB, f/b A, f/b F or R, f/b HD or F, f/b 12, f/b ST, f/b -2 or -3	12/0	-	1.5	30 V ac/dc	No	-	-	-	-	-
MB12 f/b MB, f/b A, f/b F or R, f/b HD or F, f/b 17, f/b ST, f/b -2 or -3	17/0	-	1.5	30 V ac/dc	No	-	-	-	-	-
Female Panel-Mount Fitting										
MB12 f/b FS, f/b A, f/b F or R, f/b HD or F, f/b 12, f/b ST, f/b -2 or -3	12/0	26	1.5	30 V ac/dc	No	-	-	-	-	-
MB12 f/b FS, f/b A, f/b F or R, f/b HD or F, f/b 17, f/b ST, f/b -2 or -3	17/0	26	1.5	30 V ac/dc	No	-	-	-	-	-

MB12 f/b FB, f/b A, f/b F or R, f/b HD or F, f/b 12, f/b ST, f/b -2 or -3	12/0	-	1.5	30 V ac/dc	No	-	-	-	-	-
MB12 f/b FB, f/b A, f/b F or R, f/b HD or F, f/b 17, f/b ST, f/b -2 or -3	17/0	-	1.5	30 V ac/dc	No	-	-	-	-	-
Molded-on Cable Fitting										
MA23FAQ2+13RAxxxx200/25	2/0	14	14	300 V ac/dc	No	-	-	-	-	-
	13/0	24	1.5	30 V ac/dc						
MA23FAQ0+13RAxxxx200/25	13/0	24	1.5	30 V ac/dc	No	-	-	-	-	-
Panel-Mount Fitting										
MB23MBAFQ2+13ST-6, MB23MSAFQ2+13ST-6	2/0	14	14	300 V ac/dc	No	-	-	-	-	-
	13/0	24	1.5	30 V ac/dc						
MB23MBAFQ0+13ST-6, MB23MSAFQ0+13ST-6	13/0	26	1.5	30 V ac/dc	No	-	-	-	-	-
Male Molded-on Cable Fitting										
MA08 f/b M or MS, f/b A, f/b HD or F, f/b 03 or 04, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P or Y, f/b 25 or 34	3 or 4/0	22 or 24	3	60 V ac/dc	No	-	-	-	-	-
MA08 f/b M or MS, f/b B, f/b HD or F, f/b 05, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P or Y, f/b 25 or 34	5/0	22 or 24	3	30 V ac/dc	No	-	-	-	-	-
MA08 f/b M or MS, f/b A, f/b HD or F, f/b 06 or 08, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P or Y, f/b 14 or 25	6 or 8/0	24 or 26	2	30 V ac/dc	No	-	-	-	-	-
MA08 f/b M, f/b A, f/b I, f/b 03 or 04, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P or Y, f/b 25 or 34	3 or 4/0	22 or 24	3	60 V ac/dc	No	-	-	-	-	-
Female Molded-on Cable Fitting										
MA08 f/b F or FS, f/b A, f/b HD or F or P, f/b 03 or 04, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P or Y, f/b 25 or 34	3 or 4/0	22 or 24	3	60 V ac/dc	No	-	-	-	-	-

MA08 f/b F or FS, f/b B, f/b HD or F or P, f/b 05, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P or Y, f/b 25 or 34	5/0	22 or 24	3	30 V ac/dc	No	-	-	-	-	-
MA08 f/b F or FS, f/b A, f/b HD or F or P, f/b 06 or 08, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P or Y, f/b 14, 25	6 or 8/0	24 or 26	2	30 V ac/dc	No	-	-	-	-	-
MA08 f/b F, f/b A, f/b I, f/b 03 or 04, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B,G,O,P or Y, f/b 25 or 34	3 or 4/0	22 or 24	3	60 V ac/dc	No	-	-	-	-	-
MA08 f/b F or FS, f/b A, f/b HD or F or P, f/b 03 or 04, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P or Y, f/b 14	3 or 4/0	26	1.5	60 V ac/dc	No	-	-	-	-	-
MA08 f/b F or FS, f/b A, f/b HD or F or P, f/b 03 or 04, f/b ST or RA, f/b any digit of number, f/b C or R, f/b B, G, O, P or Y, f/b 14	5/0	26	1.5	30 V ac/dc	No	-	-	-	-	-
Male Assembled-on Cable Fitting										
MB08 f/b MA, f/b A, f/b F, f/b F, f/b 03 or 04, f/b ST, - f/b A or B or W	3 or 4/0	22 or 24	3	60 V ac/dc	No	-	-	-	-	-
B08 f/b MA, f/b B, f/b F, f/b F, f/b 05, f/b ST, - f/b A or B or W	5/0	22 or 24	3	30 V ac/dc	No	-	-	-	-	-
MB08 f/b MA, f/b A, f/b F, f/b F, f/b 06 or 08, f/b ST, f/b A or B or W	6 or 8/0	24 or 26	1	30 V ac/dc	No	-	-	-	-	-
MB08 f/b MWS, f/b A, f/b F, f/b F, f/b 03 or 04, f/b ST, f/b A, B or W	3 or 4/0	22 or 24	3	60 V ac/dc	No	-	-	-	-	-
Female Assembled-on Cable Fitting										
MB08 f/b FA, f/b A, f/b F, f/b F, f/b 03 or 04, f/b ST, f/b A or B or W	3 or 4/0	22 or 24	3	60 V ac/dc	No	-	-	-	-	-
MB08 f/b FA, f/b B, f/b F, f/b F, f/b 05, f/b ST, f/b A or B or W	5/0	22 or 24	3	30 V ac/dc	No	-	-	-	-	-
MB08 f/b FA, f/b A, f/b F, f/b F, f/b 06 or 08, f/b ST, f/b A or B or W	6 or 8/0	24 or 26	1	30 V ac/dc	No	-	-	-	-	-

MB08 f/b FWS, f/b A, f/b F, f/b F, f/b 03 or 04, f/b ST, f/b A, B or W	3 or 4/0	22 or 24	3	60 V ac/dc	No	-	-	-	-	-
Male Panel-Mounted Fitting										
MB08 f/b MS or MB, f/b A, f/b F or R, f/b F or HD, f/b 03 or 04 f/b ST	3 or 4/0	-	3	60 V ac/dc	No	-	-	-	-	-
MB08 f/b MS or MB, f/b B, f/b F or R, f/b F or HD, f/b 05 f/b ST	5/0	-	3	30 V ac/dc	No	-	-	-	-	-
MB08 f/b MS or MB, f/b A, f/b F or R, f/b F or HD, f/b 06 or 08 f/b ST	6 or 8/0	-	1	30 V ac/dc	No	-	-	-	-	-
MB08 f/b MS or MB, f/b A, f/b F or R, f/b I, f/b 03 or 04, f/b ST	3 or 4/0	-	3	60 V ac/dc	No	-	-	-	-	-
MB08 f/b MS, f/b A, f/b E, f/b I, f/b 04, f/b ST	4/0	-	3	60 V ac/dc	No	-	-	-	-	-
MB08 f/b MBS, f/b A, f/b F, f/b F, f/b 03 or 04, f/b RA	3 or 4/0	-	3	60 V ac/dc	-	-	-	-	-	-
MB08 f/b MBS, f/b B, f/b F, f/b F, f/b 05, f/b RA	5/0	-	3	30 V ac/dc	-	-	-	-	-	-
Female Panel-Mounted Fitting										
MB08 f/b FS or FB, f/b A, f/b F or R, f/b F or HD, f/b 03 or 04 f/b ST	3 or 4/0	-	3	60 V ac/dc	No	-	-	-	-	-
MB08 f/b FS or FB, f/b B, f/b F or R, f/b F or HD, f/b 05 f/b ST	5/0	-	3	30 V ac/dc	No	-	-	-	-	-
MB08 f/b FS or FB, f/b A, f/b F or R, f/b F or HD, f/b 06 or 08 f/b ST	6 or 8/0	-	1	30 V ac/dc	No	-	-	-	-	-
MB08 f/b FBS, f/b A, f/b F, f/b F, f/b 03 or 04, f/b RA	3 or 4/0	-	3	60 V ac/dc	-	-	-	-	-	-
MB08 f/b FBS, f/b B, f/b F, f/b F, f/b 05, f/b RA	5/0	-	3	30 V ac/dc	-	-	-	-	-	-
MA08FA**08ST-MA08MA**08ST-xxx (a) extension.	8/0	24 or 26	2	30 V ac/dc	No	-	-	-	-	-
MA08FA**08ST-MA12MA**08ST-xxx(a) extension.	8/0	24 or 26	2	30 V ac/dc	No	-	-	-	-	-

MA12, f/b M, f/b A or B, f/b F, P or HD, f/b 03, 04 or 05, f/b ST, f/b digit of number, f/b C or R, f/b B, G, O, Y, or P, f/b 14.	3, 4 or 5/0	26	2	120 V ac/dc	No	-	-	-	-	-
MA12, f/b F, f/b A or B, f/b F, P or HD, f/b 03, 04 or 05, f/b ST, f/b digit of number, f/b C or R, f/b B, G, O, Y, or P, f/b 14.	3, 4 or 5/0	26	2	120 V ac/dc	No	-	-	-	-	-
MA12 f/b F, f/b A, f/b F or HD, f/b 17, f/b ST, f/b any digit of number, f/b R, f/b Y, f/b 14/08.	17/0	26AWGx7c+28AWGx10C	1.5	30 V ac/dc	No	-	-	-	-	-

Molded-on Cable Fitting, M12 Series

MA12FA; followed by F, HD or P, followed by 03, 04, 05 or 08, followed by ST, followed by digit code, followed by C or R, followed by B, G, O, P or Y, followed by 34 or 25.	3	22 or 24	4	250/300	No	-	-	-	-	-
	4	22 or 24	4	250/300	No	-	-	-	-	-
	5	22 or 24	4	60/72	No	-	-	-	-	-
	8	22 or 24	2	30/36	No	-	-	-	-	-
MA12FA; followed by F, HD or P, followed by 03, 04, 05 or 08, followed by RA, followed by digit code, followed by C or R, followed by B, G, O, P or Y, followed by 34 or 25.	3	22 or 24	4	250/300	No	-	-	-	-	-
	4	22 or 24	4	250/300	No	-	-	-	-	-
	5	22 or 24	4	60/72	No	-	-	-	-	-
	8	22 or 24	2	30/36	No	-	-	-	-	-
MA12MA; followed by F, HD or P, followed by 03, 04, 05 or 08, followed by RA, followed by digit code, followed by C or R, followed by B, G, O, Y or P, followed by 34 or 25.	3	22 or 24	4	250/300	No	-	-	-	-	-
	4	22 or 24	4	250/300	No	-	-	-	-	-
	5	22 or 24 21AWGx2c+24AWGx2C	4	60/72	No	-	-	-	-	-
	8	22 or 24	2	30/36	No	-	-	-	-	-
MA12MA, followed by F, HD or P, followed by 03, 04 or 05, followed by ST, followed by digit code, followed by C or R, followed by B, G, O, Y or P, followed by 34 or 25.	3	22 or 24	4	250/300	No	-	-	-	-	-
	4	22 or 24	4	250/300	No	-	-	-	-	-
	5	22 or 24	4	60/72	No	-	-	-	-	-
MA12MA, followed by F, followed by HD or P, followed by 08, followed by ST, followed by digit code, followed by C or R, followed by B, G, O, Y or P, followed by 34 or 25.	8	22 or 24 or 26	2	30/36	No	-	-	-	-	-

Cable Assemblies, M12 Series

MA12F**xxST-MA12F**xxST-	3	22 or 24	4	250/300	No	-	-	-	-	-
--------------------------	---	----------	---	---------	----	---	---	---	---	---

xxx(c)	4	22 or 24	4	250/300	No	-	-	-	-	-
	5	22 or 24	4	60/72	No	-	-	-	-	-
	8	22 or 24	2	30/36	No	-	-	-	-	-
MA12M**xxST- MA12F**xxST-xxx (c)	3	22 or 24	4	250/300	No	-	-	-	-	-
	4	22 or 24	4	250/300	No	-	-	-	-	-
	5	22 or 24	4	60/72	No	-	-	-	-	-
	8	22 or 24	2	30/36	No	-	-	-	-	-
MA12F**xxRA-MA12F**xxST- xxx (c)	3	22 or 24	4	250/300	No	-	-	-	-	-
	4	22 or 24	4	250/300	No	-	-	-	-	-
	5	22 or 24	4	60/72	No	-	-	-	-	-
	8	22 or 24	2	30/36	No	-	-	-	-	-
MA12F**xxRA- MA12M**xxST-xxx (c)	3	22 or 24	4	250/300	No	-	-	-	-	-
	4	22 or 24	4	250/300	No	-	-	-	-	-
	5	22 or 24	4	60/72	No	-	-	-	-	-
	8	22 or 24	2	30/36	No	-	-	-	-	-
MA12M**xxRA- MA12F**xxST-xxx (c)	3	22 or 24	4	250/300	No	-	-	-	-	-
	4	22 or 24	4	250/300	No	-	-	-	-	-
	5	22 or 24	4	60/72	No	-	-	-	-	-
	8	22 or 24	2	30/36	No	-	-	-	-	-
MA12F**xxRA- MA12F**xxRA-xxx (c)	3	22 or 24	4	250/300	No	-	-	-	-	-
	4	22 or 24	4	250/300	No	-	-	-	-	-
	5	22 or 24 21AWGx2c+24AWGx2C	4	60/72	No	-	-	-	-	-
	8	22 or 24	2	30/36	No	-	-	-	-	-
MA12M**xxRA- MA12F**xxRA-xxx(c)	3	22 or 24	4	250/300	No	-	-	-	-	-
	4	22 or 24	4	250/300	No	-	-	-	-	-
	5	22 or 24 21AWGx2c+24AWGx2C	4	60/72	No	-	-	-	-	-
	8	22 or 24	2	30/36	No	-	-	-	-	-
MA12 followed by M or F, followed by B, followed by F, HD or P, followed by 03, 04 or 05, followed by ST or RA, followed by any digit of number, followed by C or R, followed by B, G, O, Y or P, followed by 25 or 34.	3/0	22	4	250/300	No	-	-	-	-	-
	4/0	22	4	250/300	No	-	-	-	-	-
	5/0	22	4	60/72	No	-	-	-	-	-
MA12FB*xxST-	3/0	22	4	250/300	No	-	-	-	-	-

MA12FB*xxST-xxx, MA12MB*xxST-	4/0	22	4	250/300	No	-	-	-	-	-
MA12FB*xxST-xxx, MA12FB*xxRA- MA12FB*xxST-xxx, MA12FB*xxRA- MA12MB*xxST-xxx, MA12MB*xxRA- MA12FB*xxST-xxx, MA12FB*xxRA- MA12FB*xxRA-xxx (b)	5/0	22	4	60/72	No	-	-	-	-	-
Male-Female extensions										
120861(A701-CP-T0042)	8	-	2	24 V ac/dc	No	-	-	-	-	-

(a) - where ** can be HD, F or P, where xxx can be digit.

(b) - where * can be F, HD or P, xx can be 03-05, xxx can be digit extension.

(c) - where ** can be AF, AHD or AP, xx can be 03, 04, 05 or 08, xxx can be digit extension.

Last Updated on 2021-12-21

"© 2022 UL LLC"